




2017
collection
— Floors —
FOR THE HOME
— VINYL ROLLS —

DECORATION trends 2017



DECORATION trends 2017

ARCHI
GRAPHIC

design attitude
refined
retrospirit

TIMELESS
ELEGANCE

classical
nature
raw material

TIMELESS
ELEGANCE

classical
nature
raw material

texline



WITHOUT PREPARATION...

UNROLL...



IT'S DONE !



THE READY TO LAY FLOOR

COMFORTABLE UNDERFOOT

ALL USES FLOOR

LOOSELAY

1900 - Harbor Nature



texline
WOOD

NEW



1 |



2 |



3 |



4 |



3 |



5 |

1-Sherwood Clear

2 m: Code: 1349 2012 - EAN: 3475710375637
4 m: Code: 1519 2012 - EAN: 3475710375538

2-Sherwood Blond

2 m: Code: 1349 2013 - EAN: 3475710375644
4 m: Code: 1519 2013 - EAN: 3475710375545

3-Bruges Naturel

2 m: Code: 1349 2010 - EAN: 3475710375675
4 m: Code: 1519 2010 - EAN: 3475710375514

4-Sherwood Brown

2 m: Code: 1349 2015 - EAN: 3475710375668
4 m: Code: 1519 2015 - EAN: 3475710375569

5-Sherwood Dark

2 m: Code: 1349 2014 - EAN: 3475710375651
4 m: Code: 1519 2014 - EAN: 3475710375552

6-Sherwood Grey

2 m: Code: 1349 2017 - EAN: 3475710376580
4 m: Code: 1519 2017 - EAN: 3475710375613



1971 - Bruges Clear




1 |



2 |



3 |



1951 - Westwood Brown

1-Bruges Clear

2 m: Code: 1349 1971 - EAN: 3475710358852
 3 m: Code: 1619 1971 - EAN: 3475710359453
 4 m: Code: 1519 1971 - EAN: 3475710358722

2-Bruges Brown

2 m: Code: 1349 1970 - EAN: 3475710358845
 3 m: Code: 1619 1970 - EAN: 3475710359446
 4 m: Code: 1519 1970 - EAN: 3475710358715

3-Bruges Dark

2 m: Code: 1349 1972 - EAN: 3475710358869
 3 m: Code: 1619 1972 - EAN: 3475710359460
 4 m: Code: 1519 1972 - EAN: 3475710358739

4-Westwood Brown

2 m: Code: 1349 1951 - EAN: 3475710355714
 3 m: Code: 1619 1951 - EAN: 3475710359750
 4 m: Code: 1519 1951 - EAN: 3475710355608

5-Westwood Grey

2 m: Code: 1349 1957 - EAN: 3475710358807
 3 m: Code: 1619 1957 - EAN: 3475710359804
 4 m: Code: 1519 1957 - EAN: 3475710357206



4 |



5 |

1-Harbor Nature

2 m: Code: 1349 1900 - EAN: 3475710337901
3 m: Code: 1619 1900 - EAN: 3475710359705
4 m: Code: 1519 1900 - EAN: 3475710337512

2-Harbor Blue

2 m: Code: 1349 1893 - EAN: 3475710337888
3 m: Code: 1619 1893 - EAN: 3475710370397
4 m: Code: 1519 1893 - EAN: 3475710337499

3-Timber Light

2 m: Code: 1349 1749 - EAN: 3475710316227
3 m: Code: 1619 1749 - EAN: 3475710313080
4 m: Code: 1519 1749 - EAN: 3475710312977

4-Hudson White

2 m: Code: 1349 1879 - EAN: 3475710337864
3 m: Code: 1619 1879 - EAN: 3475710359668
4 m: Code: 1519 1879 - EAN: 3475710335921

5-Castle White

2 m: Code: 1349 1801 - EAN: 3475710318429
4 m: Code: 1519 1801 - EAN: 3475710318405

6-Noma Blanc

2 m: Code: 1349 0515 - EAN: 3475710221231
3 m: Code: 1619 0515 - EAN: 3475710262821
4 m: Code: 1519 0515 - EAN: 3475710216381

7-Factory White

2 m: Code: 1349 1518 - EAN: 3475710245282
3 m: Code: 1619 1518 - EAN: 3475710262814
4 m: Code: 1519 1518 - EAN: 3475710245251

8-Playa White

2 m: Code: 1333 1193 - EAN: 3475710218927
3 m: Code: 1603 1193 - EAN: 3475710237812
4 m: Code: 1503 1193 - EAN: 3475710218767

9-Painted Epoque

2 m: Code: 1333 0900 - EAN: 3475710246739
3 m: Code: 1603 0900 - EAN: 3475710370380
4 m: Code: 1503 0900 - EAN: 3475710246562

10-Cuba Grey

2 m: Code: 1349 1724 - EAN: 3475710305566
3 m: Code: 1619 1724 - EAN: 3475710313196
4 m: Code: 1519 1724 - EAN: 3475710305559



1893 - Harbor Blue





1-Harbor Pearl

2 m: Code: 1349 1901 - EAN: 3475710337918
 3 m: Code: 1619 1901 - EAN: 3475710359712
 4 m: Code: 1519 1901 - EAN: 3475710337529

2-Timber Grey

2 m: Code: 1349 1751 - EAN: 3475710316210
 3 m: Code: 1619 1751 - EAN: 3475710313103
 4 m: Code: 1519 1751 - EAN: 3475710312991

3-Timber Perle

2 m: Code: 1349 1750 - EAN: 3475710316241
 3 m: Code: 1619 1750 - EAN: 3475710313109
 4 m: Code: 1519 1750 - EAN: 3475710312984

4-Noma Clear

2 m: Code: 1349 1727 - EAN: 3475710316203
 3 m: Code: 1619 1727 - EAN: 3475710311833
 4 m: Code: 1519 1727 - EAN: 3475710306181

5-Farm Kola

2 m: Code: 1349 1401 - EAN: 3475710232374
 3 m: Code: 1619 1401 - EAN: 3475710313172
 4 m: Code: 1519 1401 - EAN: 3475710232343

6-Mambo Grey

2 m: Code: 1333 1036 - EAN: 3475710218880
 3 m: Code: 1603 1036 - EAN: 3475710237164
 4 m: Code: 1503 1036 - EAN: 3475710216107

7-Noma Grey

2 m: Code: 1349 1053 - EAN: 3475710221255
 3 m: Code: 1619 1053 - EAN: 3475710226984
 4 m: Code: 1519 1053 - EAN: 3475710216398

8-Hudson Pearl

2 m: Code: 1349 1880 - EAN: 3475710337871
 3 m: Code: 1619 1880 - EAN: 3475710362361
 4 m: Code: 1519 1880 - EAN: 3475710335938



1880 - Hudson Pearl

GFT Backing Rolls
Textline



5 |



6 |



7 |



8 |



1626 - Boston Grey



1 |



2 |



3 |



4 |



1-Chalet Pecan

2 m: Code: 1349 1516 - EAN: 3475710245268
 3 m: Code: 1619 1516 - EAN: 3475710262791
 4 m: Code: 1519 1516 - EAN: 3475710245237

2-Factory Perle

2 m: Code: 1349 1535 - EAN: 3475710246395
 3 m: Code: 1619 1535 - EAN: 3475710313226
 4 m: Code: 1519 1535 - EAN: 3475710246371

3-Factory Pecan

2 m: Code: 1349 1533 - EAN: 3475710229442
 3 m: Code: 1619 1533 - EAN: 3475710370403
 4 m: Code: 1519 1533 - EAN: 3475710229459

4-Boston Grey

2 m: Code: 1349 1625 - EAN: 3475710267840
 3 m: Code: 1619 1625 - EAN: 3475710267772
 4 m: Code: 1519 1625 - EAN: 3475710267420

5-Noma Pepper

2 m: Code: 1349 1495 - EAN: 3475710246357
 3 m: Code: 1619 1495 - EAN: 3475710313202
 4 m: Code: 1519 1495 - EAN: 3475710242113

6-Harbor Grey

2 m: Code: 1349 1899 - EAN: 3475710337895
 4 m: Code: 1519 1899 - EAN: 3475710337505

7-Boston Dark

2 m: Code: 1349 1619 - EAN: 3475710267833
 3 m: Code: 1619 1619 - EAN: 3475710267765
 4 m: Code: 1519 1619 - EAN: 3475710267413

8-Hudson Dark

2 m: Code: 1349 1881 - EAN: 3475710337857
 3 m: Code: 1619 1881 - EAN: 3475710359651
 4 m: Code: 1519 1881 - EAN: 3475710335914

9-Farm Café

2 m: Code: 1349 1400 - EAN: 3475710232367
 3 m: Code: 1619 1400 - EAN: 3475710237249
 4 m: Code: 1519 1400 - EAN: 3475710232336

10-Noma Chocolate

2 m: Code: 1349 0475 - EAN: 3475710220982
 3 m: Code: 1619 0475 - EAN: 3475710222382
 4 m: Code: 1519 0475 - EAN: 3475710215773



10 |



9 |



5 |



6 |



7 |



8 |



1-Farm Pecan

2 m: Code: 1349 1393 - EAN: 3475710232053
 3 m: Code: 1619 1393 - EAN: 3475710237225
 4 m: Code: 1519 1393 - EAN: 3475710232046

2-Castle Blond

2 m: Code: 1349 1802 - EAN: 3475710318436
 3 m: Code: 1619 1802 - EAN: 3475710331442
 4 m: Code: 1519 1802 - EAN: 3475710318412

3-Timber Classic

2 m: Code: 1349 1736 - EAN: 3475710311147
 3 m: Code: 1619 1736 - EAN: 3475710311116
 4 m: Code: 1519 1736 - EAN: 3475710311086

4-Timber Blond

2 m: Code: 1349 1272 - EAN: 3475710214936
 3 m: Code: 1619 1272 - EAN: 3475710262845
 4 m: Code: 1519 1272 - EAN: 3475710214806

5-Noma Blond

2 m: Code: 1349 1731 - EAN: 3475710306372
 3 m: Code: 1619 1731 - EAN: 3475710311826
 4 m: Code: 1519 1731 - EAN: 3475710306365

6 -Timber Naturel

2 m: Code: 1349 1740 - EAN: 3475710316234
 3 m: Code: 1619 1740 - EAN: 3475710313110
 4 m: Code: 1519 1740 - EAN: 3475710313004



7-Hudson Blond

2 m: Code: 1349 1887 - EAN: 3475710337925
 3 m: Code: 1619 1887 - EAN: 3475710359699
 4 m: Code: 1519 1887 - EAN: 3475710336027

8-Noma Miel

2 m: Code: 1349 0476 - EAN: 3475710217838
 3 m: Code: 1619 0476 - EAN: 3475710221118
 4 m: Code: 1519 0476 - EAN: 3475710215766

9-Farm Noisette

2 m: Code: 1349 1399 - EAN: 3475710232350
 3 m: Code: 1619 1399 - EAN: 3475710237232
 4 m: Code: 1519 1399 - EAN: 3475710232329

10-Chêne Medium

2 m: Code: 1349 0405 - EAN: 3475710217807
 3 m: Code: 1619 0405 - EAN: 3475710221101
 4 m: Code: 1519 0405 - EAN: 3475710217180

11-Manitoba Hêtre

2 m: Code: 1333 0402 - EAN: 3475710246715
 3 m: Code: 1603 0402 - EAN: 3475710246630
 4 m: Code: 1503 0402 - EAN: 3475710246548





1887 - Hudson Blond



71



81



91



101



111



O449 - Toronto Miel



1-Chêne Light

2 m: Code: 1349 0669 - EAN: 3475710221187
3 m: Code: 1619 0669 - EAN: 3475710221132
4 m: Code: 1519 0669 - EAN: 3475710219320

2-Timber Medium

2 m: Code: 1349 0721 - EAN: 3475710221323
3 m: Code: 1619 0721 - EAN: 3475710221125
4 m: Code: 1519 0721 - EAN: 3475710219290

3-Toronto Miel

2 m: Code: 1349 0449 - EAN: 3475710239625
3 m: Code: 1619 0449 - EAN: 3475710239564
4 m: Code: 1519 0449 - EAN: 3475710239403

4-Walnut Clear

2 m: Code: 1349 1265 - EAN: 3475710214868
3 m: Code: 1619 1265 - EAN: 3475710222399
4 m: Code: 1519 1265 - EAN: 3475710214554

5-Walnut Medium

2 m: Code: 1349 1268 - EAN: 3475710214899
3 m: Code: 1619 1268 - EAN: 3475710223365
4 m: Code: 1519 1268 - EAN: 3475710214585

6-Bali Medium

2 m: Code: 1349 1686 - EAN: 3475710306464
3 m: Code: 1619 1686 - EAN: 3475710331428
4 m: Code: 1519 1686 - EAN: 3475710304453



texline MINERAL

NEW



1 |



2 |




3 |



4 |



1649 - Fjord Light Grey



5 |



6 |



7 |



8 |

1-Provence Ocre

2 m: Code: 1349 1956 - EAN: 3475710359286
3 m: Code: 1619 1956 - EAN: 3475710359798
4 m: Code: 1519 1956 - EAN: 3475710357190

2-Provence Black & White

2 m: Code: 1349 1981 - EAN: 3475710374517
4 m: Code: 1519 1981 - EAN: 3475710369278

3-Colorado Dark Grey

2 m: Code: 1349 1980 - EAN: 3475710371066
3 m: Code: 1619 1980 - EAN: 3475710371042
4 m: Code: 1519 1980 - EAN: 3475710370533

4-Provence Creme

2 m: Code: 1349 1955 - EAN: 3475710359279
3 m: Code: 1619 1955 - EAN: 3475710359781
4 m: Code: 1519 1955 - EAN: 3475710357183

5-Sevilla Light Grey

2 m: Code: 1349 1952 - EAN: 3475710355721
3 m: Code: 1619 1952 - EAN: 3475710359767
4 m: Code: 1519 1952 - EAN: 3475710355615

6-Matera Warm

2 m: Code: 1349 1693 - EAN: 3475710324741
3 m: Code: 1619 1693 - EAN: 3475710340499
4 m: Code: 1519 1693 - EAN: 3475710324338

7-Fjord Light Grey

2 m: Code: 1349 1949 - EAN: 3475710355691
3 m: Code: 1619 1949 - EAN: 3475710359736
4 m: Code: 1519 1949 - EAN: 3475710355578

8-Fjord Black

2 m: Code: 1349 2011 - EAN: 3475710375620
4 m: Code: 1519 2011 - EAN: 3475710375521

NEW

1-Granite Green

2 m: Code: 1333 0618 - EAN: 3475710217548

3 m: Code: 1603 0618 - EAN: 3475710236600

4 m: Code: 1503 0618 - EAN: 3475710217258

2-Granite Dark Grey

2 m: Code: 1333 0617 - EAN: 3475710236624

3 m: Code: 1603 0617 - EAN: 3475710236594

4 m: Code: 1503 0617 - EAN: 3475710218736


3-Granite Black

2 m: Code: 1333 0776 - EAN: 3475710236648


3 m: Code: 1603 0776 - EAN: 3475710236631

4 m: Code: 1503 0776 - EAN: 3475710218712






4 |



5 |




6 |



7 |




8 |



9 |



10 |



11 |



12 |

4-Tivoli Clear

2 m: Code: 1349 1968 - EAN: 3475710358814
3 m: Code: 1619 1968 - EAN: 3475710359675
4 m: Code: 1519 1968 - EAN: 3475710358067

5-Matera Crema

2 m: Code: 1349 1692 - EAN: 3475710324703
3 m: Code: 1619 1692 - EAN: 3475710340482
4 m: Code: 1519 1692 - EAN: 3475710324291

6-Living Cloud

2 m: Code: 1333 1614 - EAN: 3475710265907
4 m: Code: 1503 1614 - EAN: 3475710265891

7-Matera Natural

2 m: Code: 1349 1694 - EAN: 3475710324734
3 m: Code: 1619 1694 - EAN: 3475710332197
4 m: Code: 1519 1694 - EAN: 3475710324321

8-Tivoli Grey

2 m: Code: 1349 1969 - EAN: 3475710358821
3 m: Code: 1619 1969 - EAN: 3475710359682
4 m: Code: 1519 1969 - EAN: 3475710358074

9-Prado Bianco

2 m: Code: 1349 1298 - EAN: 3475710324536
3 m: Code: 1619 1298 - EAN: 3475710331947
4 m: Code: 1519 1298 - EAN: 3475710324390

10-Living Anthracite




2 m: Code: 1333 1537 - EAN: 3475710248191
3 m: Code: 1603 1537 - EAN: 3475710331503
4 m: Code: 1503 1537 - EAN: 3475710248160


11-Prado Crema

2 m: Code: 1349 1289 - EAN: 3475710324543
3 m: Code: 1619 1289 - EAN: 3475710324215
4 m: Code: 1519 1289 - EAN: 3475710324406


12-Granite Cream

2 m: Code: 1333 0548 - EAN: 3475710236617
3 m: Code: 1603 0548 - EAN: 3475710236587
4 m: Code: 1503 0548 - EAN: 3475710218729





1953 - Sevilla Clear



1-Canyon Earth

2 m: Code: 1349 1624 - EAN: 3475710269707
3 m: Code: 1619 1624 - EAN: 3475710331435
4 m: Code: 1519 1624 - EAN: 3475710269691

2-Colorado Grey

2 m: Code: 1349 1826 - EAN: 3475710321801
3 m: Code: 1619 1826 - EAN: 3475710331473
4 m: Code: 1519 1826 - EAN: 3475710321733

3-Fjord Dark

2 m: Code: 1349 1950 - EAN: 3475710355707
3 m: Code: 1619 1950 - EAN: 3475710359743
4 m: Code: 1519 1950 - EAN: 3475710355592

4-Palazzio Dark Grey

2 m: Code: 1333 1622 - EAN: 3475710266973
3 m: Code: 1603 1622 - EAN: 3475710307201
4 m: Code: 1503 1622 - EAN: 3475710266935

5-Colorado Brown

2 m: Code: 1349 1825 - EAN: 3475710321795
3 m: Code: 1619 1825 - EAN: 3475710331466
4 m: Code: 1519 1825 - EAN: 3475710321726

6-Damier Black & White

2 m: Code: 1333 0015 - EAN: 3475710233890
3 m: Code: 1603 0015 - EAN: 3475710233876
4 m: Code: 1503 0015 - EAN: 3475710233852

7-Sevilla Clear

2 m: Code: 1349 1953 - EAN: 3475710355738
3 m: Code: 1619 1953 - EAN: 3475710359774
4 m: Code: 1519 1953 - EAN: 3475710355822

8-Colorado Beige

2 m: Code: 1349 1824 - EAN: 3475710321788
3 m: Code: 1619 1824 - EAN: 3475710331459
4 m: Code: 1519 1824 - EAN: 3475710321719

9-Offset Beige

2 m: Code: 1349 0873 - EAN: 3475710324758
3 m: Code: 1619 0873 - EAN: 3475710324161
4 m: Code: 1519 0873 - EAN: 3475710324345

10-Tivoli Light Grey

2 m: Code: 1349 1965 - EAN: 3475710358838
3 m: Code: 1619 1965 - EAN: 3475710359729
4 m: Code: 1519 1965 - EAN: 3475710357695

11-Palazzio Light Grey


2 m: Code: 1333 1623 - EAN: 3475710266980
3 m: Code: 1603 1623 - EAN: 3475710307195
4 m: Code: 1503 1623 - EAN: 3475710266942



texline ALL OVER




1 |



2 |




3 |



4 |



5 |



6 |



7 |



8 |

1-Dune Grey

2 m: Code: 1333 1589 - EAN: 3475710265051
 3 m: Code: 1603 1589 - EAN: 3475710267734
 4 m: Code: 1503 1589 - EAN: 3475710265037

2-Novara Taupe

2 m: Code: 1349 1829 - EAN: 3475710321832
 3 m: Code: 1619 1829 - EAN: 3475710339707
 4 m: Code: 1519 1829 - EAN: 3475710321764

3-Madras Storm

2 m: Code: 1349 1734 - EAN: 3475710311123
 3 m: Code: 1619 1734 - EAN: 3475710311093
 4 m: Code: 1519 1734 - EAN: 3475710311062

4-Dune Taupe

2 m: Code: 1333 1597 - EAN: 3475710265457
 3 m: Code: 1603 1597 - EAN: 3475710267741
 4 m: Code: 1503 1597 - EAN: 3475710265235

5-Used Taupe

2 m: Code: 1349 1830 - EAN: 3475710321849
 3 m: Code: 1619 1830 - EAN: 3475710331497
 4 m: Code: 1519 1830 - EAN: 3475710321771

6-Madras Chocolat

2 m: Code: 1349 1756 - EAN: 3475710316173
 3 m: Code: 1619 1756 - EAN: 3475710313158
 4 m: Code: 1519 1756 - EAN: 3475710313042

7-Novara Grey


2 m: Code: 1349 1828 - EAN: 3475710321825
 3 m: Code: 1619 1828 - EAN: 3475710359644
 4 m: Code: 1519 1828 - EAN: 3475710321757

8-Madras Taupe

2 m: Code: 1349 1319 - EAN: 3475710221033
 3 m: Code: 1619 1319 - EAN: 3475710240164
 4 m: Code: 1519 1319 - EAN: 3475710221026



1735 - Madras Anthracite



5 |




6 |



7 |



8 |



1051 - Madras Grey

1-Used Black

2 m: Code: 1349 1954 - EAN: 3475710355745
3 m: Code: 1619 1964 - EAN: 3475710359811
4 m: Code: 1519 1954 - EAN: 3475710355639

2-Dune Anthracite

2 m: Code: 1333 1591 - EAN: 3475710265068
3 m: Code: 1603 1591 - EAN: 3475710267758
4 m: Code: 1503 1591 - EAN: 3475710265044

3-Madras Anthracite

2 m: Code: 1349 1735 - EAN: 3475710311130
3 m: Code: 1619 1735 - EAN: 3475710311109
4 m: Code: 1519 1735 - EAN: 3475710311079

4-Used Blue

2 m: Code: 1349 1815 - EAN: 3475710321320
4 m: Code: 1519 1815 - EAN: 3475710321306

5-Dune White

2 m: Code: 1333 1588 - EAN: 3475710265440
3 m: Code: 1603 1588 - EAN: 3475710267727
4 m: Code: 1503 1588 - EAN: 3475710265228

6-Madras White

2 m: Code: 1349 1479 - EAN: 3475710239601
3 m: Code: 1619 1479 - EAN: 3475710239540
4 m: Code: 1519 1479 - EAN: 3475710239380

7-Madras Grey

2 m: Code: 1349 1051 - EAN: 3475710217302
3 m: Code: 1619 1051 - EAN: 3475710221163
4 m: Code: 1519 1051 - EAN: 3475710217296

8-Novara Beige

2 m: Code: 1349 1827 - EAN: 3475710321818
3 m: Code: 1619 1827 - EAN: 3475710339691
4 m: Code: 1519 1827 - EAN: 3475710321740

TECHNICAL CHARACTERISTICS

TEXLINE

DESCRIPTION

Total thickness	EN ISO 24346 (EN 428)	mm	2.90
Wearlayer thickness	EN ISO 24340 (EN 429)	mm	0.30
Weight / Mass per unit area	EN ISO 23997 (EN 430)	g/sqm	2000
Width of sheet	EN ISO 24381 (EN 426)	m	2 / 3 / 4
Length of sheet	EN ISO 24341 (EN 426)	ml	± 25

CLASSIFICATION

Norm / Product specification	-	-	EN ISO 26986
European classification	EN ISO 10874 (EN 685)	class	23/31
Sound insulation	EN ISO 717/2	dB	16
Room impact noise	NF S 31074	class	A
Fire rating - Classification - Wood support loose laying	EN 13501-1	class	C _{fl} -s1
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	C _{fl} -s1
Slip resistance wet: ramp test with oil	DIN 51 130	class	R9

PERFORMANCES

Wear group	EN 660-2	group	T
Dimensional stability after exposure to heat	EN ISO 23999 (EN 434)	%	0.05
Residual indentation (requirement)	EN ISO 24343-1 (EN 433)	mm	< 0.35
Residual indentation (average value measured)	EN ISO 24343-1 (EN 433)	mm	0.20
Residual indentation (requirement)	EN ISO 24343-2	mm	< 0.35
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	> 6
Surface treatment	-	-	Pureclean
Guarantee		year	15

ENVIRONMENT

TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+
Floorscore (US norm)	-	-	OK
Agbb (German norm)	-	-	OK

CE MARKING




EN 14041



Areas of use: domestic use





LAYING

Laying recommendation: Gerflor floor coverings are high quality products developed to last. No warranty can be claimed unless the product has been laid according to the following specifications:

The subfloor must be smooth, hard, dry and clean.

Unroll the floor covering 24 hours before it is due to be installed.

The floor covering should not be laid in rooms where the temperature is below 15°C.

Although Textline is resistant to subfloor moisture we recommend that the floor construction should contain a Damp Proof Membrane.

Can be installed on underfloor heating (up to 28°C).

Cold-weld the joints for perfect water-tightness.

Permanent laying: Use a single stick acrylic glue (approximately 250g/sqm) and a finely notched trowel and cold weld the joints.

Loose laying: Use double sided tape or hook & loop strips around the edges and along the joints for a perfect and invisible fit.

RENOVATION: Thanks to its special patented composition, Textline can be laid directly on most existing subfloors using loose laying.

On wooden floorboards and on ceramic tiles: Textline can be laid directly without any subfloor preparation. No levelling compound (finishing) needs to be applied even if there are open joints:

- up to 5 mm wide and a maximum depth of 1 mm in existing tiling
- up to 3 mm wide in wood flooring.

On textile carpeting (felt or needle punch): Textline can be installed directly over the existing carpeting as it has excellent resistance to indentation.

On concrete: Textline can be installed loose-laid or semi-permanently without any special surface preparation. Use double-sided tape along the edges of the room.

A rough concrete surface should be treated with a smoothing compound beforehand.

texline

**UNROLL...
IT'S DONE!**

Economical, quick and easy to lay

- No subfloor preparation
- No glue

Saves extra costs

**TEXTLINE,
CONFORTABLE
UNDERFOOT**

- Sound insulated
- Warmth underfoot

**TEXTLINE,
ALL USES FLOOR**

Waterproof: ideal for wet rooms

- bathroom, kitchen

Resistant: high traffic rooms

- living room, corridor

Easy to clean & hygienic

- living room, kids' bedroom

CLEANING & CARE

Initial cleaning: Before commencing a regular maintenance programme, initial cleaning of the floor will be necessary to remove dirt accumulated during laying and other building works. Remove debris, sweep floor and vacuum to remove loose dirt. Wash floor with damp mop and using cold water and neutral detergent. Replace the water and solution if necessary. Remove stubborn marks with a non-abrasive pad.

Maintenance: Remove loose dirt with a broom or vacuum cleaner. Wash floor with damp mop and used cold water.

Cleaning: Frequency of periodic maintenance will depend on the amount of traffic and on the type of laying. Wash floor with damp mop using cold water and neutral detergent.

Discoloration: Discolouration can occur in any resilient floor covering if it comes into contact with pigment-containing substances such as bituminous materials, mastic, asphalt, oil, shoes with black rubber soles, or rubber rollers may cause discoloration.



HEALTH

- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission
- No glue
- GFT backing: > 95% recycled fibres

ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning

Laying video





texline




























RANGE

BY DESIGN

WOOD

BALI	Medium - 1686 p 81							
BOSTON	Dark - 1619 p 77		Grey - 1626 p 76					
BRUGES	Brown - 1970 p 71		Clear - 1971 p 71		Dark - 1972 p 71		Naturel - 2010 p 69	
CASTLE	Blond - 1802 p 78		White - 1801 p 73					
CHALET	Pecan - 1516 p 76							
CHENE	Light - 0669 p 81		Medium - 0405 p 79					
CUBA	Grey - 1724 p 73							
FACTORY	Pecan - 1533 p 76		Perle - 1535 p 76		White - 1518 p 73			
FARM	Cafe - 1400 p 77		Kola - 1401 p 75		Noisette - 1399 p 79		Pecan - 1393 p 78	
HARBOR	Blue - 1893 p 73		Grey - 1899 p 77		Nature - 1900 p 73		Pearl - 1901 p 74	
HUDSON	Blond - 1887 p 79		Dark - 1881 p 77		Pearl - 1880 p 75		White - 1879 p 73	
MAMBO	Grey - 1036 p 75							

WOOD

MANITOBA	Hetre - 0402 p 79							
NOMA	Blanc - 0515 p 73		Blond - 1731 p 78		Chocolate - 0475 p 77		Clear - 1727 p 74	
	Grey - 1053 p 75		Miel - 0476 p 79		Pepper - 1495 p 77			
PAINTED	Epoque - 0900 p 73							
PLAYA	White - 1193 p 73							
SHERWOOD	Blond - 2013 p 69		Brown - 2015 p 69		Clear - 2012 p 69			
	Dark - 2014 p 69		Grey - 2017 p 69					
TIMBER	Blond - 1272 p 78		Classic - 1736 p 78		Grey - 1751 p 74		Light - 1749 p 73	
	Medium - 0721 p 81		Naturel - 1740 p 78		Perle - 1750 p 74			
TORONTO	Miel - 0449 p 81							
WALNUT	Clear - 1265 p 81		Medium - 1268 p 81					
WESTWOOD	Brown - 1951 p 71		Grey - 1957 p 71					



texline

RANGE

BY DESIGN

MINERAL

CANYON	Earth - 1624 p 86				
COLORADO	Beige - 1824 p 87		Brown - 1826 p 86		
	Dark Grey - 1980 p 83		Grey - 1826 p 86		
DAMIER	Black & White - 0015 p 86				
FJORD	Black - 2011 p 83		Dark - 1950 p 86		Light grey - 1949 p 83
GRANITE	Black - 0776 p 84		Cream - 0548 p 85		
	Green - 0618 p 84		Dark Grey - 0617 p 84		
LIVING	Anthracite - 1537 p 85		Cloud - 1614 p 85		
MATERA	Crema - 1692 p 85		Natural - 1694 p 85		Warm - 1693 p 83
OFFSET	Beige - 0873 p 87				
PALAZZIO	Dark Grey - 1622 p 86		Light Grey - 1623 p 87		
PRADO	Bianco - 1298 p 85		Crema - 1289 p 85		
PROVENCE	Black & White 1981 - p 83		Crema - 1955 p 83		Ocre - 1956 p 83
SEVILLA	Clear - 1953 p 87		Light grey - 1952 p 83		
TIVOLI	Clear - 1968 p 85		Grey - 1969 p 85		Light Grey - 1965 p 87

ALL OVER

DUNE	Anthracite - 1591 p 90		Grey - 1589 p 89			
	Taupe - 1597 p 89		White - 1588 p 91			
MADRAS	Anthracite - 1735 p 90		Chocolat - 1756 p 89		Grey - 1051 p 91	
	Storm - 1734 p 89		Taupe - 1319 p 89		White - 1479 p 91	
NOVARA	Beige - 1827 p 91		Grey - 1828 p 89		Taupe - 1829 p 89	
USED	Black - 1954 p 90		Blue - 1815 p 90		Taupe - 1830 p 89	



.....HOW TO CARE FOR YOUR GERFLOR FLOOR.....

Safety tips

- Use plastic coasters or felt pads under the feet of furniture and other heavy objects
- Protect from sources of heat and spills.

Cleaning

Regular cleaning: use a vacuum and a damp mop with a standard, no-rinse detergent solution. Gerflor recommends using its Power Cleaner for routine cleaning.

Deep cleaning (every 6-12 months): to make your floor shine like new again, use a restorative product. Gerflor recommends using its Renovator Polish to protect and enhance the look of your floor. It leaves a matte finish and brightens up colours.

Stubborn stains: use diluted bleach, white spirit, alcohol or lemon juice.

- stains such as tomato sauce, mustard, beet juice, blood, ink and iodine: use diluted bleach, allowing it to sit for several minutes and then rinsing thoroughly.
- rust stains: clean with fabric rust remover and rinse thoroughly.
- marker, pen, grease and glue stains: rub gently with a cloth moistened with white spirit, and rinse thoroughly

Products to avoid: acetone, chlorinated solvents such as trichlorethylene, wax, glaze.

Floors for the home

2017 VINYL ROLLS COLLECTION

ASIA: Gerflor Asia
Tel: +852 9222 6355 - Fax: +852 3006 1449
e-mail: gerflorasia@gerflor.com

AUSTRALIA/NEW ZEALAND: Gerflor Australasia Pty, Ltd
Australia Tel: +61 1 800 060 785
New Zealand Tel: + 64 0 800 630 119
e-mail: gerflor@gerflor.com.au

AUSTRIA/SWITZERLAND: Gerflor GmbH
Tel: +43 (0)72 29/70 800-0 - Fax: +43 (0)72 29/70 800-218
e-mail: austria@gerflor.com - switzerland@gerflor.com

BELGIUM/LUXEMBURG: Gerflor Benelux
Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14
e-mail: gerflorbe@gerflor.com

CANADA: Gerflor International
Tel: +1 438 333 0752 - Fax: +1 438 380 5425
e-mail: gerflorcanada@gerflor.com

CHINA: Gerflor floorings (China) Co. Ltd.
Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998
e-mail: gerflorchina@gerflor.com

FINLAND: Gerflor Oy
Tel: +358 (0) 10 6 17 5150 - Fax: +358 (0) 10 617 5152
e-mail: info@gerflor.fi

FRANCE: Gerflor
Tel: 00 33 4 75 50 68 68 - Fax: 00 33 4 75 50 69 95
e-mail: serviceconsol@gerflor.com

GERMANY: Gerflor Mipolam GmbH
Tel: +49 (0)22 41-25 30-0
e-mail: gerflormipolam@gerflor.com
Kunden-Service
Tel: +49 (0) 22 41-25 30-136 - Fax: +49 (0) 22 41-25 30-100
e-mail: kundenservice@gerflor.com
SAT Service und Anwendungstechnik
tel: +49 (0)22 41-25 30 555 - Fax: +49 (0)22 41-25 30 550
e-mail: technik@gerflor.com

IRELAND: Gerflor Ltd
Tel: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759
e-mail: gerflorir@gerflor.com

ITALY: Gerflor S.p.A.
Tel: +39 02 90 40 10 - Fax: +39 02 90 42 74 84
e-mail: gerflorit@gerflor.com

LATIN AMERICA (Brazil): Gerflor América Latina
Tel: +55 11 38 48 20 20
e-mail: gerflor@gerflor.com.br

MIDDLE EAST: Gerflor Middle East
Tel: +966 3 847 1779 - Fax: +966 3 847 1781
e-mail: info@gerflorme.com

NETHERLANDS: Gerflor Benelux
Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89
e-mail: gerflornl@gerflor.com

OTHER COUNTRIES: Gerflor International
Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13
e-mail: gerflorcontract@gerflor.com

POLAND: Gerflor Polska Sp z o.o
Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33
e-mail: info@gerflor.pl

PORTUGAL: Gerflor Iberia, SA
Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44
e-mail: gerflorportugal@gerflor.com

RUSSIA: Gerflor zao
Tel./Fax: + 7 495 785 23 71
e-mail: gerflorussia@gerflor.ru

SCANDINAVIA: Gerflor Scandinavia a.s.
Tel: + 47 64 95 60 70 - Fax: + 47 64 95 60 80
e-mail: gerflorscand@gerflor.no

SPAIN: Gerflor Iberia, SA
Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85
e-mail: gerfloriberia@gerflor.com

UNITED KINGDOM: Gerflor Ltd
Sample service: Contractuk@gerflor.com
Office Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647

USA: Gerflor USA
Tel: 877 GERFLOR (437 3567) - Fax: 847 394 3753
e-mail: info@gerflorusa.com



The flooring in this document is reproduced as accurately as achievable by printing techniques. Information in this document is subject to change.
Photographs: Studio Azimuts, Studio Bouchut, Mouxy Productions, Studio L'CEil, Écoute, Studio Nomades, Studio Actimage - Getty Image - Betty Studio - iStockphoto
Siret (trade register No.): 726 580 152 00098 - Printed 12/2016 - W056 0219 - Jpa

Gerflor Remain **CONNECTED !**



www.gerflor.com

Gerflor
theflooringgroup